

Curing “Incurable” Autoimmune Diseases Using Resonance Therapy

Praznikov Victor*

Department of Resonance Medicine, Omer, Israel.

*Correspondence:

Praznikov Victor, Department of Resonance Medicine, Omer, Israel.

Received: 29 Nov 2023; Accepted: 28 Dec 2023; Published: 04 Jan 2024

Citation: Praznikov Victor. Curing “Incurable” Autoimmune Diseases Using Resonance Therapy. Recent Adv Clin Trials. 2023; 3(4); 1-5.

ABSTRACT

It has been established that autoimmune diseases are curable. Thanks to resonance therapy, autoimmune conditions and diseases can be reduced to zero and thereby make a very great contribution to the cure of autoimmune diseases. The healing process itself is not much different from curing diseases associated with the resonance of destruction or the resonance of creation. A healing principle has been identified that is very close to both diseases associated with the resonance of destruction or the resonance of creation. The drug that is manufactured must be potentiated, i.e. its potency increases and this drug is tested at the stages of increasing potency for effective treatment of the disease itself.

Keywords

Autoimmune diseases, Remission, Curability of the disease.

Introduction

Autoimmune diseases are a large class of diseases, heterogeneous in clinical manifestations, that develop as a result of the pathological production of autoimmune antibodies or the proliferation of autoaggressive clones of killer cells against healthy, normal tissues of the body, leading to damage and destruction of normal tissues and the development of autoimmune inflammation.

In the United States, autoimmune diseases affect 50 million people, while cardiovascular disease affects 25 million people. Every fifth inhabitant of the Earth has been diagnosed with autoimmune diseases. The number of autoimmune diseases is very large - from 467 to 1000.

The main actors of adaptive immunity are B and T lymphocytes. They arise from stem cells in the bone marrow. B cells are specialized to fight bacteria, viruses and cancer cells. They secrete proteins called antibodies that attach to pathogens and help destroy them. Thymosin is a hormone of the thymus gland (thymus) that supports the functioning of B and T cells. T cells primarily attack and destroy foreign bodies, such as cancer cells and transplants. T helper cells are lymphocytes that mature in the thymus, and those that mature in lymphocytes are B lymphocytes. The leading role

in the autoimmune process is played by autoimmune lymphocytes, which mistake the cells of their own body for foreign ones and attack them.

In a healthy state, with completely normal functioning, they (autoimmune lymphocytes) are contained in small quantities and do not attack any structures. So, autoimmune diseases are caused by dysfunction of the immune system as a whole or its individual components. In particular, with the development of systemic lupus erythematosus, myasthenia gravis or diffuse toxic goiter, suppressor T lymphocytes are involved. In these diseases, there is a decrease in the function of this group of lymphocytes, which normally inhibit the development of the immune response. Thus, in autoimmune diseases, the immune system perceives tissues as foreign elements and begins to damage them. In contrast, in the normal state of the body, the immune system exerts tight control over such cells. But under certain conditions, for example, with the aging of lymphocytes, their degeneration, degeneration of the lymphatic system as a whole, or disruption of their own functions in the human body, control over such cells may be lost and, as a result, they begin to act in such a way that they destroy normal, full-fledged cells. This is how autoimmune disease develops. With the development of systemic lupus erythematosus, myasthenia gravis or diffuse toxic goiter, suppressor T lymphocytes are involved. Let us repeat – in these diseases there is a decrease in the function of this group of lymphocytes, which normally inhibit the development

of the immune response and prevent aggression of the body's own tissues. Degeneration, aging of lymphocytes and the lymphatic system of organs in general is a necessary, but not always sufficient, condition for the occurrence of an autoimmune process. Other causes of autoimmune disease are also important. Exposure to the external environment - such as infection or others (inflammation and released biologically active substances) promotes the entry of lymphocytes into tissues and the activation of autoreactive clones of T cells, which leads to tissue damage and the maintenance of autoimmune processes, which subsequently develops an organ-specific autoimmune disease. Thus, the production of pathological antibodies by pathological killer cells may be associated with infection of the body with such an infectious agent, the antigenic determinants (epitopes) of the most important proteins of which resemble the antigenic determinants of the host tissues. It is by this mechanism that glomerulonephritis develops after a streptococcal infection or autoimmune reactive arthritis after gonorrhea.

An autoimmune reaction may also be associated with tissue destruction or necrosis caused by an infectious agent or a change in their antigenic structure so that the pathologically altered tissue becomes immunogenic for the host. It is by this mechanism that autoimmune chronic active hepatitis develops after hepatitis B. The third possible cause of an autoimmune reaction is a violation of the integrity of tissue (histo-hematological) barriers that normally separate some organs and tissues from the blood and, accordingly, from the immune aggression of the host lymphocytes. The fourth possible cause of the body's autoimmune reaction is a hyperimmune state (pathologically enhanced immunity) or an immunological imbalance with a violation of the "selective" function of the thymus that suppresses autoimmunity or with a decrease in the activity of the T-suppressor subpopulation of cells and an increase in the activity of killer and helper subpopulations.

Treatment: Immunosuppressants: azathioprine, prednisolone, thymodepressin, cyclophosphamide, cyclosporine. Biologically active agents: TNF- α blockers (infliximab, adalimumab, etanercept, CD40 receptor blockers: rituximab, T-lymphocyte differentiation blockers - halofuginone.

Diagnosis and treatment of autoimmune process using resonance medicine

Resonance therapy. What it is?

Resonance was discovered by Galeleo Galelei in 1604 [1]. Resonance can be most clearly described as follows. A platoon of soldiers approaches a wooden bridge and the officer gives the command to walk out of step because if a platoon of soldiers crosses a wooden bridge in step, the bridge may collapse from resonance. The vibrations of the bridge will coincide with the vibrations of the marching soldiers and a resonance will arise, which will cause the bridge to collapse.

In this article, the role of the bridge is "played" by the disease, and the role of the marching soldiers is "performed" by the therapeutic effect. The soldier's commander did not want the bridge to collapse due to possible resonance. The physician, in contrast,

absolutely needs resonance to destroy an autoimmune process or disease. Resonance methods for studying matter have found wide application in physics, chemistry, biology and medicine. For example, Nuclear Magnetic Resonance (NMR). Resonance has been used for many years in the treatment of various diseases [2-17]. This work will examine the possibilities of effective treatment and effective prevention of autoimmune diseases using the methods of resonance of destruction and resonance of creation.

Bioresonance therapy is used to diagnose and treat diseases, which arose thanks to German researchers R. Vohl [18], Shimmel H.W. [19]. When diagnosing and treating with bioresonance therapy, so-called "nosodes" are used - wave copies of various diseases and "organ preparations" - wave copies of normally functioning organs. The peculiarity of the use of nosodes and organopreparations in our work was that we used not only low potencies of nosodes and organopreparations, but also high ones [2-17]. Diagnostics. Resonance of destruction is possible, for example, when using nosodes. Initially, the patient is tested. The device for bioresonance therapy sets the disease nosode, for example, "stomach cancer," and this nosode is tested in the patient. If the nosode is tested, the arrow on the display does not reach the value of 100 and falls, for example, at a value of 50. This indicates that this patient is diagnosed with stomach cancer. The task of a doctor using the bioresonance therapy method is to select in the device selector connected to a computer that potency of the nosode "stomach cancer" that will resonate with the nosode that is tested on the patient's computer device. If the nosode is chosen correctly, it will resonate with the nosode that is initially tested in the patient. The effectiveness of this selection of nosode potency is revealed in such a way that when testing the "stomach cancer" nosode in a patient, together with the selected potency of this nosode, it leads to the fact that the original nosode, which is in the computer program of the device for bioresonance therapy, ceases to be tested. Every organ, every disease has its own oscillation frequency. A nosode with a potency is selected that will have the same oscillation frequency to create resonance and destroy, for example, a tumor. If the potency of the selected nosode turns out to be insufficient (the oscillation frequency of the nosode is less than the oscillation frequency of the tumor), the original nosode in the bioresonance therapy device itself continues to be tested. In other words, under these conditions, the method used does not cause resonance and does not lead to tumor destruction.

In case of senile diseases, in which the process of degeneration occurs, destruction of an organ or part of an organ, the use of the destruction resonance method to restore the organ is not possible. It is necessary to use those methods that restore the destroyed organ, the destroyed tissue. And this method is the resonance of creation. It has been shown that the use of creative resonance is extremely effective in the treatment of degenerative diseases - Parkinson's disease, Alzheimer's disease, Multiple sclerosis, autoimmune diseases, etc. [2,5,7,8,11,13-17].

It is possible to create a resonance of creation in a patient with an organ preparation of one or another organ or part thereof. The

resonance of creation cannot be created with the nosode of a particular disease. It is possible to create a resonance of creation in a patient with an organ preparation of one or another organ or part thereof. How is the resonance of creation created? The doctor has a suspicion that some organ of the patient is not functioning normally, although various methods of examining him have not given an answer whether the organ is functioning normally or not. So, to answer this question - whether the patient's organ is functioning normally or not, it is necessary to test it on a device for bioresonance therapy. The doctor finds the desired organ, for example, the stomach, in the computer selector connected to the device for bioresonance therapy and tests it on the patient on the device. If the organ is functioning normally, then during testing the arrow on the computer display reaches a value of 100 and does not fall. In the same case, if the organ is not functioning normally, then during testing the arrow does not reach the value of 100 and falls. The doctor needs to restore the functioning of the organ being examined - the stomach - to normal. To do this, the resonance of creation is used. As shown in published articles and monographs [2-17], for this it is necessary to create a resonance between the organ preparation, which is located in the selector of our computer and is tested in the patient, and the corresponding organ preparation, which must resonate with the tested organ preparation in the patient. The organopreparation taken from the selector of the device is recorded and the potency (most often high) that will resonate with the organopreparation being tested in the patient is selected. The selected organopreparation with the required potency remains in the device for bioresonance therapy. If the potency is selected correctly, then testing the original organ preparation in the device selector leads to the fact that the organ ceases to be tested in the patient, i.e. the needle of the device reaches the value of 100. If the potency of the organopreparation is not selected correctly, then the needle of the device drops before reaching the value of 100. So, we have selected the potency of the organopreparation and it thereby resonates with the organopreparation that is being tested in the patient, as evidenced by testing. What is the meaning of the resonance we create? Unlike the resonance of destruction, the new resonance of organ preparations we created does not lead to the destruction of the organ. It leads to the restoration of the organ.

The doctor writes down on the sugar grain the information that is available on the selected organopreparation with the required potency, and this sugar grain becomes a medicine for the patient. The patient takes sugar granules and is treated - the degenerated organ is restored. This is evidenced by testing of the organ under study throughout the entire treatment period. During the treatment process, the computer needle during testing gets closer and closer to the value of 100 without falling, and the doctor understands that the degenerated organ is being restored. Thus, the use of the resonance of creation can lead not only to the cure of those diseases that arise as a result of degeneration or senility (diabetes mellitus, Parkinson's disease, etc. [2-17]), but also to the restoration of an organ that was in a state of degeneration or pathological condition. An organ with a restored functional state becomes immune to the oncological process. This is the meaning of using the resonance of creation to prevent the oncological process. Conditions may occur

when, after the destruction of the patient's tumor, the organ in which the oncological process took place remains in a degenerated state. Of course, it requires restoration, which is achievable by using the resonance of creation for this.

Diabetes mellitus type 1

The first type of diabetes is insulin dependent. As a rule, in such patients, often children or adolescents, the full range of consequences of decreased immunity is revealed [7,15]. In this case, cholecystitis is diagnosed, possibly gallstones, pyelonephritis, and kidney stones. As a rule, chlamydia, a large number of viruses, fungi, and helminths are detected. All this is entered into the recipe for preparing the drug for treatment. The beta cells of the pancreas in some patients with type 1 diabetes may, in principle, be healthy. But the problem is that they are suppressed by an autoimmune process. The initial impulse is an inflammatory process in the pancreas. It occurs due to the infiltration of immune cells (T lymphocytes) into the islets of Langerhans. Due to a coding defect, T lymphocytes recognize beta cells as strangers, carriers of infection. Since the job of T lymphocytes is to destroy such cells, they destroy beta cells. When treating type 1 diabetes mellitus using the resonance therapy method, the doctor finds an organ preparation of the "tail of the pancreas" in the computer selector connected to the device for bioresonance therapy and tests it in the patient on the device for bioresonance therapy. If the tail of the pancreas tests abnormally, the doctor must restore the functioning of the organ being tested to normal. As shown in the published article and in the monograph [7,15], for this purpose it is necessary to create a resonance between the organ preparation, which is located in the selector of our computer and is tested in the patient, and the corresponding organ preparation, which must resonate with the tested organ preparation in the patient. So, we have selected the potency of the organopreparation - the "tail of the pancreas" and it thereby resonates with the organopreparation that is being tested in the patient. What is the meaning of the resonance we create? Unlike the resonance of destruction, the new resonance of organ preparations we created does not lead to the destruction of the organ. It leads to the restoration of the organ - the tail of the pancreas and the beta cells that are located in it (14 patients).

Resonance therapy can also be used to treat "incurable" forms of cancer - esophageal cancer, stomach cancer, pancreatic cancer, liver cancer, lung cancer and other forms of cancer. In such cases, we also use an oncological nosode for treatment, which is diagnosed in patients and then the potency of the nosode is selected that will resonate with the oncological disease. It is important to pay attention to the fact that the selected potency for "incurable" forms of cancer is significantly higher than for "curable" ones. So we have selected the potency of the nosode and treated the patients with selected high or very high potencies of cancer. Unfortunately, treating "incurable" forms of cancer with potencies alone, even very high forms of cancer, often does not lead to positive results. Considering that cancer is an autoimmune disease, the goal was to reduce the autoimmune component of cancer to zero. That's why we use additional treatment options. And such an additional possibility is the use of "autoimmune disease" drugs.

We have already talked above about how type 1 diabetes mellitus is cured, namely by potentiating the “tail of the pancreas” organ preparation. We repeat - the process of curing or removing an autoimmune process is carried out in the same way. In the computer we find the position “Autoimmune disease”, which is tested in a patient with an autoimmune disease. Next, we find that high or very high potency of the “autoimmune disease” nosode, at which the “autoimmune disease” nosode ceases to be tested in a patient with an autoimmune disease.

It has been established that the use of low potencies of the drug for “autoimmune diseases” does not lead to positive results in the treatment of diseases. However, the use of drugs in high or very high potencies leads to positive results - disease nosodes are no longer tested. High potency of the drug is 1/100000. Very high potency is 1/100000000 and higher. It is precisely these potencies of the drug for “autoimmune diseases” in combination with high or very high potencies of diseases that lead to the fact that the nosodes of these diseases as a result of treatment are no longer tested and the pathological process is cured. It is also important that drugs of high and very high potencies are completely harmless to patients.

Let's repeat. Is it possible to cure the degradation, “aging” of lymphocytes, return them to a normal, non-degenerate state and thereby eliminate the possibility of lymphocytes attacking normal tissues? Lymphocytes are part of the overall lymphatic system, including the lymph nodes. Degeneration of lymphocytes is part of the degeneration of the overall lymphatic system. This is why it is extremely important to treat a degenerated lymphatic system. It was found that pancreatic beta cells in diabetes mellitus could be restored using creative resonance therapy and this was the path to curing diabetes mellitus. A fundamentally similar process is possible with the loss of the substantia nigra of the midbrain in Parkinson's disease and with the degradation of the myelin sheath during multiple sclerosis. Creative resonance therapy can restore lost morphological formations and provide a path to cure Parkinson's disease and multiple sclerosis [2,5,7,8,11,13-17].

For the complete cure of these diseases, it is important to what extent it is possible to restore the functional state of the lymphatic system and its part - lymphocytes in the listed autoimmune diseases. In patients with autoimmune diseases, organ preparations were tested: lymph nodes, “lymphocytes”. It turned out that all nineteen patients with various autoimmune diseases had lymph nodes whose lymphocytes were tested as being in a degenerative state. There were no patients whose lymph nodes and lymphocytes tested normal. The goal was to normalize the functional state of the lymph nodes and lymphocytes in our patients and thereby take an important step towards curing their autoimmune disease. For this purpose, it was necessary to increase the potency of the lymph nodes and lymphocytes in the same way as we did in relation to the beta cells of the pancreas in patients with diabetes, in relation to the substantia nigra of the midbrain in patients with Parkinson's disease and in relation to the myelin sheath nerves in multiple sclerosis [2,5,7,8,11,13-19].

After testing organopreparations: “lymph nodes”, “lymphocytes” in patients with autoimmune diseases, the potency was selected that led to the fact that lymph nodes and lymphocytes were no longer tested as degenerated formations. It was this potency of the lymph nodes and lymphocytes that was the basis for the production of sugar granules, which patients took and were treated. Already on the first day of treatment for all patients, it was noted that when testing their organ preparations “lymph nodes” and “lymphocytes”, a significant noticeable shift occurred in the normalization of their potency. From the very first days of treatment, testing of the nosode “autoimmune condition” in patients and their disease nosodes showed that they were tested less and less until they were no longer tested. The above indicates that if in autoimmune diseases the lymph nodes and lymphocytes were in a state of degeneration and thereby led to the onset of the disease, their treatment contributed to the normalization of the condition of the lymph nodes and lymphocytes, which opened the way to the cure of autoimmune diseases. It is important to pay attention to the fact that in the above works, degraded, aged lymphocytes were not destroyed, but were transformed into healthy, normal cells. At the same time, the number of lymphocytes in the body did not decrease, but remained exactly the same as before their transformation. Thus, the materials of this article meet the three principles of evidence-based medicine - scientificity (resonance - scientific non-direction), effectiveness and safety. In case of senile diseases, in which the process of degeneration occurs, destruction of an organ or part of an organ, the use of the destruction resonance method to restore the organ is not possible. It is necessary to use those methods that restore the destroyed organ, the destroyed tissue. And this method is the resonance of creation. It has been shown that the use of creative resonance is extremely effective in the treatment of degenerative diseases - Parkinson's disease, Alzheimer's disease, Multiple sclerosis, autoimmune diseases, etc. [2,5,7,8,11,13-19].

It is possible to create a resonance of creation in a patient with an organ preparation of one or another organ or part thereof. The resonance of creation cannot be created with the nosode of a particular disease. How is the resonance of creation created? So, we have selected the potency of the organopreparation and it thereby resonates with the organopreparation that is being tested in the patient, as evidenced by testing. What is the meaning of the resonance we create? Unlike the resonance of destruction, the new resonance of organ preparations we created does not lead to the destruction of the organ. It leads to the restoration of the organ. Thus, the use of the resonance of creation can lead not only to the cure of those diseases that arise as a result of degeneration or senility (diabetes mellitus, Parkinson's disease, etc. [2-17]), but also to the restoration of an organ that was in a state of degeneration or pathological condition. An organ with a restored functional state becomes immune to the oncological process. This is the meaning of using the resonance of creation to prevent the oncological process. Conditions may occur when, after the destruction of the patient's tumor, the organ in which the oncological process took place remains in a degenerated state. Of course, it requires restoration, which is achievable by using the resonance of creation for this.

Conclusion

Autoimmune conditions and diseases have been found to be treatable. Thanks to resonance therapy, autoimmune conditions and diseases can be reduced to zero and thereby make a very great contribution to the cure of autoimmune diseases. The healing process itself is not much different from curing diseases associated with the resonance of destruction or the resonance of creation. A healing principle has been identified that is very close to both diseases associated with the resonance of destruction or the resonance of creation. The drug that is manufactured must be potentiated, i.e. its potency increases and this drug is tested at the stages of increasing potency for effective treatment of the disease itself. In this article we talked about only a few autoimmune diseases, but what was written in the article is relevant to all autoimmune diseases.

References

1. Andrea Frova, Varipiera Marenzana. Thus spoke Galileo: the great scientists idea and their relevance to the Present day. Oxford University Press. 2006; 133-137.
2. Praznikov V. Diagnostics and Treatment of Multiple Sclerosis by the Method of Resonance Medicine. Austin J Mult Scler and Neuroimmunol. 2022; 6: 1034.
3. Praznikov V. Effective Prevention and effective treatment of oncological diseases with method resonance destruction and resonance of creation. J Cancer Sci Clin Ther. 2022; 13: 45-46.
4. Praznikov V. Diagnosis prevention and effective treatment of oncology diseases with methods of resonance destruction and resonance of creation. J Biomed Res Environ Sci. 2022; 3: 1000-1006.
5. Praznikov V. Resonance Medicine. International Journal of Medical Science and Clinical Invention. 2022; 9: 5962-5973.
6. Praznikov V. Effective AIDS Treatment with Resonance Medicine. World Journal of AIDS. 2022; 12: 111-119.
7. Praznikov V. Effective Treatment of Diabetes Mellitus and Autoimmune Diseases dy Resonance Medicine. Ann Clin Endocrinol Metabol. 2022; 6: 5-10.
8. Praznikov V. Diagnosis and Treatment of Alzheimer Disease and Parkinson Disease with Resonance Medicine. J Biomed Res Environ Sci. 2022; 3: 1000-1010.
9. Praznikov V. Diagnosis and Treatment of Children Cerebral Palsy with Method Resonance Medicine. J Biomed Res Environ Sci. 2022; 3: 1027-1034.
10. Praznikoov V. Effective Treatment of Chronic Neuritis of Auditory Nerve with Resonance Therapy. On J Otolaryngol and Rhinol. 2022; 5: 618.
11. Praznikov V. Effective treatment for retinal and lens degeneration with resonance medicine metyod. J Biomed Res Environ Sci. 2022; 3: 1069-1075.
12. Praznikov V. Effective Gout Treatment with Resonance Therapy. Int J Ortho Res Ther. 2022; 5: 6-10.
13. Praznikov V. Resonance Medicine as a Method of Augmentation Life Expectancy. Int J Gerontol Geriatr Res. 2022; 6: 1-4.
14. Praznikov V. Effective AIDS Treatment with Resonance Medicine. World Journal of AIDS. 2022; 12: 111-119.
15. Praznikov V. Resonance Medicine. The use of resonance destruction for effective of oncological treatment infection diseases cysts etc. The use of resonance creation for effective treatment of degenerative diseases diabetes Parkinson disease multiple scleroses etc. Sputnic. 2020; 298.
16. Praznikov V. Resonance Medicine. The use of resonance destruction for effective treatment of oncological infection diseases Cysts etc. The use of resonance creation for effective treatment of degenerative diseases diabetes mellitus, Alzheimers disease Parkinsons disease multiple sclerosis etc. Sputnic. 2021; 315.
17. Praznikov V. Multiple Sclerosis as a Cause of Disturbances in the Activity of the Heart and Brain the Role of Glycine and N-Acetylcysteine in Treatment and Prevention of these Conditions in the Elderly Using Resonance Therapy. SunText Rev Med Clin Res. 2023; 4: 179.
18. Voll R. Topographic Positions of the Measurement Points in Electroacupuncture. 1977.
19. Schimmel HW. Funktionale Medizin V. Hang Verlag, Heidelberg. 1991.