

Revolutionizing Full Arch Implant Reconstruction: The Role of Guided Surgery and Photogrammetry in All on X Success

Tarek Assi^{1,2*}

¹Alpha Dental Practice & implant Center, USA.

²Diplomate of the American Board of Oral Implantology.

*Correspondence:

Tarek Assi, Alpha Dental Practice & implant Center, USA.

Received: 11 Jul 2025; Accepted: 20 Aug 2025; Published: 01 Sep 2025

Citation: Tarek Assi. Revolutionizing Full Arch Implant Reconstruction: The Role of Guided Surgery and Photogrammetry in All on X Success. Oral Health Dental Sci. 2025; 9(5); 1-5.

ABSTRACT

This case report details the successful implementation of full arch guided implant surgery utilizing photogrammetry [1] for digital conversion in a patient with edentulous maxilla. The integration of advanced digital technologies improved surgical precision, reduced chair time, and enhanced patient outcomes.

Keywords

Full arch implant reconstruction, Guided surgery, Photogrammetry, Digital dentistry, Digital workflow, Digital conversion, Case report.

Introduction

Full arch rehabilitation with implants has become a common solution for edentulous patients, providing improved function and aesthetics. The advent of guided surgery [2] and digital technologies, such as photogrammetry, has further refined the implant placement process, allowing for enhanced precision and predictability. This report outlines the case of a 68-year-old female patient who underwent full arch implant placement using a guided surgical protocol supported by photogrammetric data acquisition.

Case Report

A 68-year-old female patient presented with a completely edentulous maxilla, and a history of bone resorption. The patient expressed a desire for fixed prosthetic solutions to restore function and aesthetics. Clinical examination and radiographic evaluation indicated that the patient is a candidate for a full arch implant-supported fixed restoration.

Materials and Methods

Initial Evaluation

Comprehensive dental examination was performed and medical history reviewed. CBCT (Cone Beam Computed Tomography)

imaging was taken to assess bone quality and quantity. Intraoral scans were taken to capture soft tissue contours, existing removable prosthesis, and occlusion. Face scan [3] images were captured to help in planning midline, occlusal plane, transition line, and achieve facially driven aesthetics. Also, set of pictures were taken to assist in the planning process (Figure 1).



Figure 1: Pre-op.

Treatment Planning

A digital workflow [4] was established, integrating the CBCT data with the digital models. A smile design of teeth position and shape was determined. Implant positions were strategically planned using computer-aided design (CAD) software. So, implant position was

based on teeth position, and teeth position and shape were based on face. A facially driven approach starting with the end in mind [5]. A surgical guide was 3D printed based on the planned implant positions, ensuring accurate alignment during surgery.

Surgical Procedure

The patient was treated under local anesthesia. Reference markers [6] were placed in the palate (Figure 2). Full thickness flap was raised to allow access to seat the guide (Figure 3). The surgical guide was secured in place (Figure 4). Minimal bone reduction [7] was performed to allow sufficient restorative space and hide the transition line above the smile line (Figure 5). Implant Surgical guide was seated and fixated in place (Figure 6). Guided implant osteotomy (Figure 7) and guided implant placement (Figure 8) with insertion torque over 45Ncm on all implants was achieved [8]. Total of five implants were placed in the maxilla (Figure 10). Multi-unit abutments [9] were placed utilizing the MUA guide (Figure 11). No grafting was necessary (Figure 12). Flap was adapted back in place and closure was achieved with monofilament absorbable sutures [10].



Figure 2: (Pre-Surgery with reference markers).




Figure 3: (full thickness flap).




Figure 4: (Surgical guide seated).




Figure 5: (Guided bone reduction).




Figure 6: (Implant Osteotomy Guide).




Figure 7: Implant Osteotomy.



Figure 8: Guided implant placement.




Figure 9: Insertion torque.




Figure 10: Implants in place.




Figure 11: MUA Guide in place.




Figure 12: MUA's seated.

Digital Conversion

Scan bodies were placed on the MUA's (Figure 13). Digital records were taken utilizing photogrammetry and intra oral

scanner (Figure 14) to capture implant position and soft tissue. MUA healing caps were placed (Figure 15). All pre-op post-op digital data was merged to facilitate the design of the provisional prosthesis which then was 3D printed [11], colored, and polished. An interim prosthesis (Figure 16-a,16-b) was provided to the patient immediately 24 hours after implant placement [12]. Post op radiograph was taken to confirm seat (Figure 17).




Figure 13: Scan Bodies for Photogrammetry.




Figure 14: Post surgery soft tissue intra-oral scan.




Figure 15: MUA Healing Caps.




Figure 16: a. Provisional, b. Provisional.



Figure 17: X Ray Provisional.

Results

Post-operative assessments showed no complications, with the patient reporting minimal discomfort. Osseointegration was assessed at the 4-month follow-up, digital records (Figure 18) were taken to finalize definitive restoration design. The definitive prosthesis was delivered, achieving optimal function and aesthetic outcomes (Figure 19). Post-op radiograph was taken to confirm seat (Figure 20). The digital workflow facilitated precise implant placement, leading to enhanced patient satisfaction.



Figure 18: Scan bodies in place at stage 2 digital records for definitive prosthesis.



Figure 19: Definitive Prosthesis.




Figure 20: X Rat Definitive Prosthesis.

Discussion

The integration of photogrammetry in the conversion process of full arch implant reconstruction and utilizing guided implant surgery demonstrates significant advantages in terms of precision and patient experience. This case highlights the effectiveness of combining digital technologies to streamline the treatment process, reducing surgical time and improving outcomes.

This innovative approach not only enhances the precision and efficiency of implant placement but also significantly improves the overall patient experience. As technology continues to evolve, dental professionals are better equipped to deliver successful outcomes, ultimately transforming the lives of patients seeking to restore their smiles with confidence. Embracing these advancements in dental practice is essential for staying at the forefront of modern dentistry.

Conclusion

Full arch guided implant surgery, supported by photogrammetry for digital conversion, represents a significant advancement in dental implantology. This case illustrates the successful application of these technologies, providing a reliable and efficient approach to restoring function and aesthetics in edentulous patients.

References

1. Revilla León M, Gómez Polo M, Drone M, et al. Accuracy of complete arch implant scans recorded by using intraoral and extraoral photogrammetry systems. *J Prosthet Dent.* 2025.
2. Lanis A, Alvarez Del Canto O, Barriga P, et al. Computer-guided implant surgery and full-arch immediate loading with prefabricated-metal framework-provisional prosthesis created from a 3D printed model. *J Esthet Restor Dent.* 2019; 31: 199-208.
3. Park JH, Lee GH, Moon DN, et al. Creation of Digital Virtual Patient by Integrating CBCT, Intraoral Scan, 3D Facial Scan: An Approach to Methodology for Integration Accuracy. *J Craniofac Surg.* 2022; 33: 396-398.
4. Liu XQ, Liu JZ, Feng HL, et al. Time Efficiency of Immediate Loading of Full-arch Implant Reconstructions Using Prefabricated Prostheses Located by an Anchor Pin: a Pilot Study. *Chin J Dent Res.* 2021; 24: 257-265.

-
5. Pozzi A, Arcuri L, Moy PK. The smiling scan technique: Facially driven guided surgery and prosthetics. *J Prosthodont Res.* 2018; 62: 514-517.
 6. Storelli S, Palandrani G, Amorfini L, et al. A digital workflow for computer-guided implant surgery integrating CBCT, model scanning, and CAD/CAM for a complete edentulism implant-supported prosthesis: a technique procedure. *Int J Comput Dent.* 2020; 23: 269-279.
 7. Mijiritsky E, Ben Zaken H, Shacham M, et al. Variety of Surgical Guides and Protocols for Bone Reduction Prior to Implant Placement: A Narrative Review. *Int J Environ Res Public Health.* 2021; 18: 2341.
 8. Eckert SE, Hueler G, Sandler N, et al. Immediately Loaded Fixed Full-Arch Implant-Retained Prosthesis: Clinical Analysis When Using a Moderate Insertion Torque. *Int J Oral Maxillofac Implants.* 2019; 34: 737-744.
 9. Andejani Bin Farrah A, Ahmadian L, Shonberg D, et al. Effect of angulation between multi-unit abutments on trueness of photogrammetry systems. *J Prosthodont.* 2025.
 10. Murayama A, Yoneda H, Maehara A, et al. A highly elastic absorbable monofilament suture fabricated from poly(3-hydroxybutyrate-co-4-hydroxybutyrate). *Sci Rep.* 2023; 13: 3275.
 11. Papaioannou M, Fraiman HP, Baumgarten HS, et al. The Use of Nanoceramic Hybrid Material and Digital Light Processing Technology for 3D Printing of an Implant-Supported FP3 Restoration: A Case Report. *Compend Contin Educ Dent.* 2024; 45: 514-519.
 12. Testori T, Del Fabbro M, Galli F, et al. Immediate occlusal loading the same day or the after implant placement: comparison of 2 different time frames in total edentulous lower jaws. *J Oral Implantol.* 2004; 30: 307-313.